products were 2.2 g of carbon dioxide, 0.9 g water and 8.2 g of sodium ethanoate. Show that these observations are in agreement with the law of conservation of mass.

In the given reaction, sodium carbonate reacts with ethanoic acid to produce sodium ethanoate, carbon dioxide, and water.

In a reaction, 5.3 g of sodium carbonate reacted with 6 g of ethanoic acid. The

Sodium carbonate + ethanoic acid → sodium ethanoate + carbon dioxide + water

Sodium + Ethanoic --- Sodium + Carbon + Water carbonate acid ethanoate dioxide

Mass of sodium carbonate = 5.3 g (Given)

Mass of ethanoic acid = 6 g (Given)

Mass of sodium ethanoate = 8.2 g (Given)

Mass of carbon dioxide = 2.2 g (Given)

Mass of water = 0.9 g (Given)

Now, total mass before the reaction = (5.3 + 6) g = 11.3 g And, total mass after the reaction = (8.2 + 2.2 + 0.9) g

= 11.3 g

∴Total mass before the reaction = Total mass after the reaction

Hence, the given observations are in agreement with the law of conservation of mass.

Question 2:

Question 1:

Answer:

Hydrogen and oxygen combine in the ratio of 1:8 by mass to form water. What mass of oxygen gas would be required to react completely with 3 g of hydrogen gas?

Answer:

It is given that the ratio of hydrogen and oxygen by mass to form water is 1:8.

Then, the mass of oxygen gas required to react completely with 1 g of hydrogen gas is 8 g.

Therefore, the mass of oxygen gas required to react completely with 3 g of hydrogen gas is 8×3 g = 24 g.

Question 3:

Which postulate of Dalton's atomic theory is the result of the law of conservation of mass?

Answer:

The postulate of Dalton's atomic theory which is a result of the law of conservation of mass is:

Atoms are indivisible particles, which can neither be created nor destroyed in a chemical reaction.

Question 4:

Which postulate of Dalton's atomic theory can explain the law of definite proportions?

Answer:

The postulate of Dalton's atomic theory which can explain the law of definite proportion is:

The relative number and kind of atoms in a given compound remains constant.

Define atomic mass unit.

Answer:

Question 1:

 $\left(\overline{12^{\text{th}}}\right)_{\text{the mass of one atom of carbon-12 is}}$ Mass unit equal to exactly one-twelfth called one atomic mass unit. It is written as 'u'.

Question 2:

Why is it not possible to see an atom with naked eyes?

Answer:

Thesize of an atom is so small that it is not possible to see it with naked eyes. Also, the atom of an element does not exist independently.

Write down the formulae of (i) sodium oxide (ii) aluminium chloride

Question 1:

(iv) magnesium hydroxide

Answer: (i) Sodium oxide →Na₂O

(iii) sodium suphide

- (ii) Aluminium chloride → AlCl₃
- (iii) Sodium suphide → Na₂S

Question 2:

- Write down the names of compounds represented by the following formulae:
 - (i) $Al_2(SO_4)_3$ (ii) CaCl₂
 - (iii) K₂SO₄
 - (iv) KNO₃
- (v) CaCO₃
- Answer:
- (iv) $KNO_3 \rightarrow Potassium nitrate$
 - **Question 3:**
 - What is meant by the term chemical formula?

(v) CaCO₃ → Calcium carbonate

- (iii) $K_2SO_4 \rightarrow Potassium sulphate$
- (ii) CaCl₂ → Calcium chloride
- (i) $Al_2(SO_4)_3 \rightarrow Aluminium sulphate$

- (iv) Magnesium hydroxide → Mg(OH)₂

The chemical formula of a compound means the symbolic representation of the composition of a compound. From the chemical formula of a compound, we can know the number and kinds of atoms of different elements that constitute the compound.

For example, from the chemical formula CO_2 of carbon dioxide, we come to know that one carbon atom and two oxygen atoms are chemically bonded together to form one molecule of the compound, carbon dioxide.

Question 4:

Answer:

How many atoms are present in a

- (i) H₂S molecule and
- (ii) PO_4^{3-} ion?

Answer:

(i) In an H_2S molecule, three atoms are present; two of hydrogen and one of

sulphur.

(ii) In a PO_4^{3-} ion, five atoms are present; one of phosphorus and four of oxygen.

 $= 2 \times 1$ = 2 uMolecular mass of $O_2 = 2 \times Atomic mass of O$ $= 2 \times 16$ = 32 u

Calculate the molecular masses of H₂, O₂, Cl₂, CO₂, CH₄, C₂H₆, C₂H₄, NH₃, CH₃OH.

Molecular mass of $Cl_2 = 2 \times Atomic mass of Cl$

Molecular mass of $H_2 = 2 \times Atomic mass of H$

 $= 2 \times 35.5$

= 71 u

Molecular mass of CO_2 = Atomic mass of $C + 2 \times$ Atomic mass of O

 $= 12 + 2 \times 16$

= 44 u

Molecular mass of CH_4 = Atomic mass of $C + 4 \times$ Atomic mass of H $= 12 + 4 \times 1$ = 16 u

Molecular mass of $C_2H_6 = 2 \times Atomic mass of C + 6 \times Atomic mass of H$ $= 2 \times 12 + 6 \times 1$

= 30 uMolecular mass of $C_2H_4 = 2 \times Atomic mass of C + 4 \times Atomic mass of H$

 $= 2 \times 12 + 4 \times 1$ = 28 u

Molecular mass of NH_3 = Atomic mass of $N + 3 \times$ Atomic mass of H

 $= 14 + 3 \times 1$ = 17 u

Molecular mass of CH₃OH = Atomic mass of C + 4 × Atomic mass of H + Atomic mass of O

 $= 12 + 4 \times 1 + 16$

Question 1:

Answer:

Question 2:

= 32 u

Calculate the formula unit masses of ZnO, Na₂O, K₂CO₃, given atomic masses of Zn = 65 u, Na = 23 u, K = 39 u, C = 12 u, and O = 16 u.

Answer:

Formula unit mass of ZnO = Atomic mass of Zn + Atomic mass of O= 65 + 16

= 81 u

Formula unit mass of $Na_2O = 2 \times Atomic mass of Na + Atomic mass of O$

 $= 2 \times 23 + 16$

= 62 u

Formula unit mass of $K_2CO_3 = 2 \times Atomic mass of K + Atomic mass of C + 3 \times$

Atomic mass of O

 $= 2 \times 39 + 12 + 3 \times 16$

= 138 u

Answer: One mole of carbon atoms weighs 12 g (Given)

Question 1:

of carbon?

i.e., mass of 1 mole of carbon atoms = 12 g

Then, mass of 6.022×10^{23} number of carbon atoms = 12 g

Therefore, mass of 1 atom of carbon

 $=1.9926\times10^{-23}$ g

Question 2: Which has more number of atoms, 100 grams of sodium or 100 grams of iron (given,

atomic mass of Na = 23 u, Fe = 56 u)? Answer:

Atomic mass of Na = 23 u (Given)

Then, gram atomic mass of Na = 23 g

Now, 23 g of Na contains = 6.022×10^{23} number of atoms

Thus, 100 g of Na contains

number of atoms

If one mole of carbon atoms weighs 12 gram, what is the mass (in gram) of 1 atom

 $= 2.6182 \times 10^{24}$ number of atoms

Again, atomic mass of Fe = 56 u(Given)

Then, gram atomic mass of Fe = 56 g

Now, 56 g of Fe contains = 6.022×10^{23} number of atoms

Thus, 100 g of Fe contains number of atoms

 $=1.0753\times10^{24}$ number of atoms

Therefore, 100 grams of sodium contain more number of atoms than 100 grams of iron.

A 0.24 g sample of compound of oxygen and boron was found by analysis to contain 0.096 g of boron and 0.144 g of oxygen. Calculate the percentage composition of the

compound by weight.

Question 1:

Answer:

Mass of boron = 0.096 g (Given)

Mass of oxygen = 0.144 g (Given)

Mass of sample = 0.24 g (Given)

Thus, percentage of boron by weight in the compound = $\frac{0.096}{0.24} \times 100\%$ = 40%

And, percentage of oxygen by weight in the compound = $\frac{0.144}{0.24} \times 100\%$

Question 2:

When 3.0 g of carbon is burnt in 8.00 g oxygen, 11.00 g of carbon dioxide is

answer?

= 60%

produced. What mass of carbon dioxide will be formed when 3.00 g of carbon is burnt in 50.00 g of oxygen? Which law of chemical combinations will govern your

Answer:

Carbon + Oxygen → Carbon dioxide

3 g of carbon reacts with 8 g of oxygen to produce 11 g of carbon dioxide.

If 3 g of carbon is burnt in 50 g of oxygen, then 3 g of carbon will react with 8 g of oxygen. The remaining 42 g of oxygen will be left un-reactive.

In this case also, only $11\ g$ of carbon dioxide will be formed.

The above answer is governed by the law of constant proportions.

Question 3:

What are polyatomic ions? Give examples?

example, ammonium ion (NH_4^+) , hydroxide ion (OH^-) , carbonate ion (CO_3^{2-}) , sulphate ion $\left(SO_4^{2-}\right)$ Question 4:

A polyatomic ion is a group of atoms carrying a charge (positive or negative). For

Write the chemical formulae of the following:

Answer:

- (a) Magnesium chloride
- (b) Calcium oxide
- (c) Copper nitrate
- (d) Aluminium chloride
- (e) Calcium carbonate
- Answer:
- (a) Magnesium chloride → MgCl₂
- (b) Calcium oxide → CaO
- (c) Copper nitrate \rightarrow Cu (NO₃)₂ (d) Aluminium chloride → AlCl₃
- (e) Calcium carbonate → CaCO₃
- **Question 5:**
- Give the names of the elements present in the following compounds: (a) Quick lime

- (c) Baking powder
- (d) Potassium sulphate

- (b) Hydrogen bromide

Compound	Chemical formula	Elements present
Quick lime	CaO	Calcium, oxygen
Hydrogen bromide	HBr	Hydrogen, bromine
Baking powder	NaHCO ₃	Sodium, hydrogen, carbon, oxygen
Potassium sulphate	K ₂ SO ₄	Potassium, sulphur, oxygen
Ouestion 6:		

Question

Answer:

Calculate the molar mass of the following substances:

- (a) Ethyne, C_2H_2
- (b) Sulphur molecule, S₈
- (c) Phosphorus molecule, P_4 (atomic mass of phosphorus = 31)
- (d) Hydrochloric acid, HCl

(e) Nitric acid, HNO₃

- Answer:
- Allowe
- (a) Molar mass of ethyne, $C_2H_2 = 2 \times 12 + 2 \times 1 = 28 \text{ g}$
- (b) Molar mass of sulphur molecule, $S_8 = 8 \times 32 = 256$ g (c) Molar mass of phosphorus molecule, $P_4 = 4 \times 31 = 124$ g
- (d) Molar mass of hydrochloric acid, HCl = 1 + 35.5 = 36.5 g
- (e) Molar mass of nitric acid, $HNO_3 = 1 + 14 + 3 \times 16 = 63 g$

Question 7:

What is the mass of—

- (a) 1 mole of nitrogen atoms?
- (b) 4 moles of aluminium atoms (Atomic mass of aluminium = 27)?
 - (c) 10 moles of sodium sulphite (Na₂SO₃)?

- (a) The mass of 1 mole of nitrogen atoms is 14 g. (b) The mass of 4 moles of aluminium atoms is (4×27) g = 108 g
- (c) The mass of 10 moles of sodium sulphite (Na₂SO₃) is $10 \times [2 \times 23 + 32 + 3 \times 16] g = 10 \times 126 g = 1260 g$

Question 8:

- Convert into mole.
- (a) 12 g of oxygen gas (b) 20 g of water
- (c) 22 g of carbon dioxide Answer:
- (a) 32 q of oxygen gas = 1 mole
- Then, 12 g of oxygen gas = $\frac{12}{32}$ mole (b) 18 c = 6
- (b) 18 g of water = 1 mole

Answer:

- $\frac{20}{}$ mole Then, 20 g of water = 18
- = 1.11 moles (approx) (c) 44 g of carbon dioxide = 1 mole

= 0.375 mole

Then, 22 g of carbon dioxide = 44

Question 9:

- What is the mass of:
- (a) 0.2 mole of oxygen atoms?
- (b) 0.5 mole of water molecules?
- Answer:
- (a) Mass of one mole of oxygen atoms = 16 g
- Then, mass of 0.2 mole of oxygen atoms = $0.2 \times 16g = 3.2 g$ (b) Mass of one mole of water molecule = 18 q

Then, mass of 0.5 mole of water molecules = $0.5 \times 18 \text{ g} = 9 \text{ g}$

Calculate the number of molecules of sulphur (S_8) present in 16 q of solid sulphur.

1 mole of solid sulphur $(S_8) = 8 \times 32 g = 256 g$

i.e., 256 g of solid sulphur contains = 6.022×10^{23} molecules

$$\frac{6.022\times10^{23}}{256}\times16 \text{ molecules}$$

Then, 16 g of solid sulphur contains =

Question 11:

Question 10:

Answer:

Calculate the number of aluminium ions present in 0.051 g of aluminium oxide.

(Hint: The mass of an ion is the same as that of an atom of the same element.

 $= 3.76 \times 10^{22}$ molecules (approx)

Atomic mass of AI = 27 u)

Answer: 1 mole of aluminium oxide (Al₂O₃) = $2 \times 27 + 3 \times 16$

= 102 qi.e., 102 g of $Al_2O_3 = 6.022 \times 10^{23}$ molecules of Al_2O_3

Then, 0.051 g of Al₂O₃ contains =
$$\frac{6.022\times10^{23}}{102}\times0.051 \text{ molecules}$$
 = 3.011 \times 10²⁰ molecules of Al₂O₃

The number of aluminium ions (Al³⁺) present in one molecule of aluminium oxide is

2. Therefore, the number of aluminium ions (Al $^{3+}$) present in 3.011 \times 10 20 molecules

(0.051 g) of aluminium oxide $(Al_2O_3) = 2 \times 3.011 \times 10^{20}$

 $= 6.022 \times 10^{20}$